

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
27B: Terril-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
41: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.50
41C: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
41D: Sparta-----	95	Somewhat limited Too sandy Slope	0.95 0.63	Somewhat limited Too sandy Slope	0.95 0.63	Very limited Slope Too sandy	1.00 0.95
63C: Chelsea-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
63E: Chelsea-----	95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
83B: Kenyon-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
83C: Kenyon-----	95	Not limited		Not limited		Very limited Slope	1.00
83C2: Kenyon-----	95	Not limited		Not limited		Very limited Slope	1.00
84: Clyde-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Slope	0.01
98: Huntsville-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
98B: Huntsville-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
						Slope	0.50
109B: Backbone-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Depth to bedrock	0.46
						Restricted permeability	0.15
109C: Backbone-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Depth to bedrock	0.46
						Restricted permeability	0.15
109D: Backbone-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Depth to bedrock	1.00 0.46
						Restricted permeability	0.15
110B: Lamont-----	95	Not limited		Not limited		Somewhat limited Slope	0.13
110C: Lamont-----	95	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
115F: Sandy Escarpments---	100	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
135: Coland-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
142B: Chaseburg-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.50
151: Marshan-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
152: Marshan-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
158: Dorchester-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
162B: Downs-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
162C: Downs-----	95	Not limited		Not limited		Very limited Slope	1.00
162C2: Downs-----	95	Not limited		Not limited		Very limited Slope	1.00
162D: Downs-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
162D2: Downs-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
162E2: Downs-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163B: Fayette-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
163C: Fayette-----	95	Not limited		Not limited		Very limited Slope	1.00
163C2: Fayette-----	95	Not limited		Not limited		Very limited Slope	1.00
163D: Fayette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163D2: Fayette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163D3: Fayette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
163E: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163E2: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163E3: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163F2: Fayette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
163F3: Fayette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
163G: Fayette-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
171B: Bassett-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
171C: Bassett-----	90	Not limited		Not limited		Very limited Slope	1.00
171C2: Bassett-----	95	Not limited		Not limited		Very limited Slope	1.00
171D2: Bassett-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
171E2: Bassett-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
175B: Dickinson-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
175C: Dickinson-----	95	Not limited		Not limited		Very limited Slope	1.00
175D: Dickinson-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
177: Saude-----	95	Not limited		Not limited		Not limited	
177B: Saude-----	95	Not limited		Not limited		Somewhat limited Slope	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
177C: Saude-----	100	Not limited		Not limited		Very limited Slope	1.00
178: Waukee-----	100	Not limited		Not limited		Not limited	
178B: Waukee-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
183C: Dubuque-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.84
183D2: Dubuque-----	95	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.84
183E: Dubuque-----	95	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.84
183E2: Dubuque-----	95	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.84
183F: Dubuque-----	100	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to bedrock	0.84

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
193: Camden-----	95	Not limited		Not limited		Not limited	
198B: Floyd-----	95	Not limited		Not limited		Somewhat limited Slope	0.13
213: Rockton-----	100	Not limited		Not limited		Not limited	
213B: Rockton-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.46
214: Rockton-----	95	Not limited		Not limited		Not limited	
214B: Rockton-----	95	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.46
214C: Rockton-----	95	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.46
215E: Goss-----	95	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
221: Palms-----	95	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter Slope	1.00 1.00 0.13
225: Lawler-----	95	Not limited		Not limited		Not limited	
226: Lawler-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
265: Bixby-----	95	Not limited		Not limited		Not limited	
265B: Bixby-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
284: Flagler-----	95	Not limited		Not limited		Not limited	
284B: Flagler-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
284C: Flagler-----	95	Not limited		Not limited		Very limited Slope	1.00
285: Burkhardt-----	95	Not limited		Not limited		Not limited	
285B: Burkhardt-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
285C2: Burkhardt-----	95	Not limited		Not limited		Very limited Slope	1.00
285E2: Burkhardt-----	95	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
302B: Coggon-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
302C: Coggon-----	95	Not limited		Not limited		Very limited Slope	1.00
315: Loamy Alluvial Land-	90	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
354: Marsh-----	95	Not rated		Not rated		Not rated	
391B: Clyde-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.01
Floyd-----	40	Not limited		Not limited		Somewhat limited Slope	0.13
394B: Ostrander-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
394C: Ostrander-----	95	Not limited		Not limited		Very limited Slope	1.00
394C2: Ostrander-----	100	Not limited		Not limited		Very limited Slope	1.00
398: Tripoli-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	95	Not limited		Not limited		Not limited	
399B: Readlyn-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
407B: Schley-----	95	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone Slope	0.39 0.13
408B: Olin-----	100	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
408C: Olin-----	95	Not limited		Not limited		Very limited Slope	1.00
409B: Dickinson-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
409C: Dickinson-----	95	Not limited		Not limited		Very limited Slope	1.00
444B: Jacwin-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.50
444C: Jacwin-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 1.00
444D: Jacwin-----	95	Very limited Restricted permeability Slope	1.00 0.63	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Restricted permeability	1.00 1.00 1.00
471: Oran-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
478G: Rock Outcrop-----	60	Not rated		Not rated		Not rated	
Nordness-----	40	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.94	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.94	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
480C: Orwood-----	95	Not limited		Not limited		Very limited Slope	1.00
480D2: Orwood-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
480E2: Orwood-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
485: Spillville-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
487B: Otter-----	55	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
Huntsville-----	45	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Slope	0.60 0.50
489: Ossian-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
490: Caneek-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
496B: Dorchester-----	60	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Volney-----	35	Very limited Flooding Gravel content	1.00 0.01	Somewhat limited Flooding Gravel content	0.40 0.01	Very limited Flooding Gravel content Content of large stones	1.00 1.00 0.92

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
497F: Fayette-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Dubuque-----	20	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.94 0.84
Jacwin-----	20	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
497G: Fayette-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Dubuque-----	20	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.94 0.84
Jacwin-----	20	Very limited Restricted permeability Slope	1.00 0.04	Very limited Restricted permeability Slope	1.00 0.04	Very limited Restricted permeability Slope	1.00 1.00
499B: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Slope	1.00 0.50
499D: Nordness-----	95	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to bedrock Slope	1.00 1.00
499F: Nordness-----	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
512B: Marlean-----	95	Not limited		Not limited		Somewhat limited Slope Gravel content Content of large stones	0.50 0.16 0.01
512D: Marlean-----	95	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope Gravel content Content of large stones	1.00 0.16 0.01
536: Hanlon-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
551: Calamine-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.01
620B: Port Byron-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
714: Winneshiek-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
714B: Winneshiek-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope Depth to bedrock	0.94 0.50 0.46
714C: Winneshiek-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to bedrock	0.46
714D: Winneshiek-----	95	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope	1.00
						Restricted permeability Depth to bedrock	0.94 0.46
725: Hayfield-----	95	Not limited		Not limited		Not limited	
763D2: Exette-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
763E2: Exette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
763E3: Exette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
763F2: Exette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
763F3: Exette-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
777: Wapsie-----	95	Not limited		Not limited		Not limited	
777B: Wapsie-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
777C: Wapsie-----	95	Not limited		Not limited		Very limited Slope	1.00
781B: Lourdes-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
781C: Lourdes-----	90					Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
782: Donnan-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
782B: Donnan-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.50
782C: Donnan-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 1.00
783B: Cresco-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
783C: Cresco-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
784B: Riceville-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.13

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Fayette County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
798B: Protivin-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability Slope	0.15 0.13
926: Canoe-----	95	Not limited		Not limited		Not limited	
977: Richwood-----	95	Not limited		Not limited		Not limited	
978: Festina-----	95	Not limited		Not limited		Not limited	
C135: Coland-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
C158: Dorchester-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00